## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	462748	wafer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 13:23
L2	437	1 and (( insufficient or available or enough or sufficient ) near3 (spare or spares or redundant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 13:34
L3	683	( id or identif\$4 or identificat\$4 ) near7 ( spare or spares or redundant ) near5 used	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 13:28
L4	36	3 near7 ( row\$1 or column\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 13:28
L5	21	3 near7 repair\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 13:29
L6	35	good with unrepairable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 13:29
L7	223	(( mcm or multi adj chip adj module ) and (( bad or defective or good) near7 (repair\$4 or unrepair\$ )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 13:32
L8	1480	(( dice or wafer ) adj ( map\$1 or mapping ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 13:33

## **EAST Search History**

L9	5	8 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2006/07/20 13:33
L10	6	8 and (( insufficient or available or	IBM_TDB US-PGPUB;	OR	OFF	2006/07/20 13:34
		enough or sufficient ) near3 (spare or spares or redundant))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L12	223	(( test\$3 or retest\$3 ) near7 (bad or unrepairable or defective ) ) and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 13:36
L13	53	(( inefficient or redundant or repeat\$3 ) near7 (bad or unrepairable or defective ) ) and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 13:37

## Interference text search

## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1340	(( id or identif\$4 or identificat\$4 ) and repair\$3 ).clm.	US-PGPUB	OR	OFF	2006/07/20 13:53
L2	386	(( id or identif\$4 or identificat\$4 ) with repair\$3 ).clm.	US-PGPUB	OR	OFF	2006/07/20 13:53
L3	. 8	2 and ( identification adj code\$1 ).clm.	US-PGPUB	OR	OFF	2006/07/20 13:54
L4	557	( repair\$3 with ( memory or memeories or wafer or dice or ic or semiconductor )).clm.	US-PGPUB	OR	OFF	2006/07/20 13:56
L5	74	2 and 4	US-PGPUB	OR	OFF	2006/07/20 13:56
L6	150	1 and 4	US-PGPUB	OR	OFF	2006/07/20 13:56
L7	86	6 and read\$4.clm.	US-PGPUB	OR	OFF	2006/07/20 13:57
L8	43	7 not 5	US-PGPUB	OR	OFF	2006/07/20 13:57